

INSTRUCTIONS FOR PHYSICAL EXAM

Please bring with you the day of your appointment:

- 1. Completed demographic, needs to be update yearly, annual screening questionnaires, and Notice of Privacy and Consents acknowledgement.
- 2. Updated medication list. If you have questions about what you take, please bring all medication bottles with you to your appointment.
- 3. Stool test, if ordered, and provided in this packet. (Return to our office)
- 4. Copy of your living will, health care POA, and DNR, if applicable and not already shared previously.

On the day of your appointment:

You may have an EKG: Avoid using lotions on your skin to ensure proper contact of the electrodes. (If you see a cardiologist, or have had a normal EKG in the past, this may not be needed.)

Women: If you are due for a pap smear, DO NOT douche for 48 hours prior to your appointment.

Urinalysis: We will perform this in the office if needed. If diabetic, you may have a urinalysis at the lab and the office.

Fasting labs: Using the order provided, please complete the FA\$TING labs between 1 month and 1 week prior to your appointment.

Your appointment is scheduled for:

DAY:	DATE:	
ARRIVAL TIME:	APPOINTMENTTIME:.	



If you need to reschedule, we ask that you notify us 24 hours in advance.

We ask that you check in 30 minutes prior to your appointment time for clinical preparation.

Services that may be rendered during your Physical Exam and Annual Wellness Visit.

For Medicare patients:

- 1. Office visit treatment of chronic or acute conditions, and possible head to toe exam. Codes that you may see: 99212, 99213, 99214, and 99215. Provider determines code based on treatment. These codes are subject to deductible and co-insurance responsibilities.
- 2. Medicare Welcome to Medicare or Annual Wellness Visit. Codes that you **may** see: G0402, G0438, G0439, 99397, G0403, G0442, and G0444-these codes are covered completely by . Medicare and cover only preventive portion of your physical. This exam is limited to basic vitals, review of health risks, update to your medical history and family history, update to your medical provider list, cognitive assessment, depression and alcohol use screening, review of functional status, update preventive service schedule, review of risk factors, and action required based on any findings.
- 3. 93000 for EKG, G0328 for stool card, and 81002 for urinalysis.
- 4. 99497 for living will discussion, if performed.

For Commercial patients:

- Office visit treatment of multiple extensive chronic or acute conditions. Codes that you may see: 99212, 99213, 99214, and 99215. Provider determines code based on treatment. These codes are subject to deductible and co-insurance responsibilities.
- Annual Physical codes that you may see: 99395, 99396, 99397 (based on age).
 93000- EKG, 8t,274
 stool card, 81002 urinalysis in office. 99408, 99420, & 99497 Alcohol & Depression screening, and Living Will Discussion.



IF YOU DON'T DRINK ALCOHOL CHECK HERE ___ SKIP TO PHQ-9

									re

When talkino with others. do vou ever underestimate how much vou drink?	Yes	No
After a few drinl<5, have you sometimes not eaten or been able to skip a meal because you didn't feel		
hunory?		
Does havinQ a few drinks help decrease your shakiness or tremors?		
Does alcohol sometimes make it hard for you to remember oarts of the day?		
Do you usually take a drink to relax or calm your nerves?		
Do vou drink to take vour mind off vour oroblems?		•\
Have you ever increased your drinkinci after exoeriencino a loss in your life?		
Has a doctor or nurse ever said they were worried or concerned about your drinkinCl?		
Have you ever made rules to manaoe vour drinkino?		
When you feel lonely, does having a drink help?		

Total So	ore	

If you answered "yes" to two of the above questions, please complete the audit questionnaire below.

How often do you have a drink	How many standard drinks containing	How often do you have six or more			
containing alcohol?	alcohol do ou have on	drinks on one occasion?			
Neve r (0 points)	None I don't drink (0 points)	Never (0 points)			
Monthly or less (1 point)	1 or2 (0 points)	Less than monthly (1 point)			
2-4 times a month (2 points)	3 or4 (1 point)	Monthly (2 points)			
2-3 times a week (3 points)	5 or6 (2 points)	Weekly (3 points)			
Four or more times a week (4	7 to 9 (3 points)	Daily or almost dally (4 points)			
oints					
	10 or more 4 ints				

Total Score	
-------------	--

In men, a score of 4 or more is considered positive; in women, a score of 3 or more is considered positive.

PH0-9

Low Mood	Not at all	Several	More than half	Nearly every
		days	the days	day
	0	1	2	3
1. Little interest or pleasure in doino thinos.				'
Feelino down. deoressed, or hooeless.				
3. Trouble falling/staying asleep, sleeping too				
much				
4. Feellno tired or havlnci little enerav				
5. Feeling bad about yourself; that you are a				
failure or have let vour famlly down				
6. Poor aooetite or overeatlna				
7 . Trouble concentrating on things, such as				
readina the newsoaoer or watchino television				,,,,

NAME:,	DOB:.	DATE::

Low Mood	Not at all 0	Several days 1	More than half the days 2	Nearly every day 3
Moving or speaking so slowly that other people could have noticed. Or the opposite being so fidgety/restless that you have been movina around a lot more than usual				,
 Thoughts that you would be better off dead, or of hurtina vourself in some way 				
Total Score:				

0-4 Normal 5-9 Mild 10-14 Moderate 15-19 Moderate to Severe 20-27 Severe

GAD-7

Low Mood	Not at all	Several	More than half the days 2	Nearly
	0	days 1	life days 2	every day 3
1. Feeling nervous, anxious or on edge				
Not beina able to stop or control worrvina				
3. Worrving too much about different thinas				
4. Trouble relaxing				
S . Beina so restless that It is hard to sit still				
6 . Becomina easllv annoved or irritable				;,i.,,.
7 . Feeling afraid as if something awful might happen				
How difficult have these problems made It for you to do your work, take care of things at home, or get along with other oeoole.	Not difficult at all	Somewhat difficult	Very difficult	Extremely difficult
Total Score:				

>/= 10 Probably diagnosis of GAD further examination needed - 5 Mild anxiety - 10 Moderate anxiety - 15 Severe Anxiety'

Activities of Daily Living (ADL)


ADL Function	Independent	Needs Help	Dependent	cannot Do
Bathing				
Grooming				
Mouth care				
Toileting				
Transferring Bed/Chair				
Walking				
Climbing stairs				
Eating				
Shopping				
Cooking				
Managing medications				
Using the phone and looking up numbers				.•.
Doing housework				
Driving or using public transpertation				
Managing finances				

NAME:	DOB:	D.ATE::
		-



Pain Assessment

Do you have pain? Yes No___ If your answer is No, then please disregard the rest of this questionnaire. If yes, please mark on the diagram where you feel pain.



 Circle the number that best describes your pain at the worst in the past 24 hours.

0 1 2 3 4 5 6 7 8 9 10

No Pain Pain as bad as you can imagine

2. Circle the number that describes your pain at it's **least** in the past 24 hours.

012345678910--.

No Pain Pain as bad as you can imagine

3. Circle the number that is your pain on average.

0 1 2 3 4 5 6 7 8 9 10 ...

No Pain Pain as bad as you can imagine

5. Circle the number that is your pain **right now.**

0 1 2 3 4 5 6 7 8 9 10

No Pain Pain as bad as you can imagine

6. Circle the number that best describes your pain at the worst in the past 24hours.

0 1 2 3 4 5 6 7 8 9 10

No Pain Pain as bad as ••• you can imagine

NAME:. D08:DATE::.	
--------------------	--

		Walking ability
7. What treatments or medical you receiving for your pai		0 1 2 3 4 5 6 7 8 9 10
		Does not interfere Completely interferes
		Normal work - outside the home and housework
8. How much relief have the measures given you in the		0 1 2 3 4 5 6 7 8 9 10
hours? 0 1 2 3 4 5 6 7 8	3 9 10	Does not interfere Completely interferes
		Relations with other people
No relief	Complete relief	0 1 2 3 4 5 6 7 8 9 10
 Circle the number that desc pain has interfered in you the last 24 hours. 		Does not interfere Completely interferes
tile last 24 flours.		Sleep
General Activity		0 1 2 3 4 5 6 7 8 9 10
0 1 2 3 4 5 6 7 8	9 10	
Does not interfere	Completely	Does not interfere Completely interferes
Mood	interferes	Enjoyment of life
	0 10	0 1 2 3 4 5 6 7 8 9 10
0 1 2 3 4 5 6 7 8 Does not interfere	Completely	Does not interfere Completely interfere
	interferes	

NAME:___

DOB:___

____.DATE::__

Fall History

Do you currently or have you had in the past any of the following?

Yes	No	
		Falls in the past year?
		Feel unsteady or worry about falling when standing or walking?
		Have vou gone to the ER in the past vear because of a fall?
		Do you take exercise classes or do any balance exercises?

Medical Conditions

Yes	No	
		Surgery on your back, knees, or feet?
		Pain in your back, knees, or feet?
		Cognitive impairment?
		Incontinence?
		Depression?
		Poor vision?
		Problems with heart rate and/or rhythm?
		An eve exam within the last vear?

Medications

Yes	No	
		CNS or psychoactive medications? (sleeping, anxiety, or narcotic pain medications)
		Medications that can cause sedations or confusion?
		Medications that cause hypotension (low blood pressure)?

Additional information:			
			-
			_ _ _
			_
NAME:	DOR:	DATE…	